



Locate Requests & Transmissions

July 2019 vs 2018

Tickets

2019: 198,236

2018: 172,881

Difference: 14.7%

Transmissions

2019: 1,084,353

2018: 940,029

Difference: 15.4%

Year-to-date

Tickets

2019: 1,342,235

2018: 1,167,765

Difference: 14.9%

Transmissions

2019: 7,280,761

2018: 6,374,967

Difference: 14.2

2/2



Davie	3 HR	CNCL	NEW	RXMT	UPDT	TOTAL Tickets
Davie	3 HIV	CIVEL	INLVV	IXXIVII	OFDI	TICKELS
2018	54	74	3843	133	1245	5349
2019	95	47	3535	168	1593	5438
+/- Var	75.9%	-36.5%	-8.0%	26.3%	28.0%	1.7%
				Avg		
				Locates		
				per Day		38



						TOTAL
Forsyth	3 HR	CNCL	NEW	RXMT	UPDT	Tickets
2018	1525	330	30320	840	13595	46610
2019	1303	417	32993	1198	14937	50848
+/- Var	-14.6%	26.4%	8.8%	42.6%	9.9%	9.1%
				Avg Locates		
				per Day		353



						TOTAL
Stokes	3 HR	CNCL	NEW	RXMT	UPDT	Tickets
2018	181	59	3256	95	2144	5735
2019	158	37	2667	133	1329	4324
+/- Var	-12.7%	-37.3%	-18.1%	40.0%	-38.0%	-24.6%
				Avg		
				Locates per Day		30



Yadkin	3 HR	CNCL	NEW	RXMT	UPDT	TOTAL Tickets
2018	24	37	3187	60	628	3936
2019	37	51	2748	117	686	3639
+/- Var	54.2%	37.8%	-13.8%	95.0%	9.2%	-7.5%
				Avg Locates		
				per Day		25

Davie	3 HR	CNCL	NEW	RXMT	UPDT	TOTAL Tickets
2018	13	6	518	12	221	770
2019	16	6	486	23	299	830
+/- Var	23.1%	0.0%	-6.2%	91.7%	35.3%	7.8%
				Avg Locates		
				per Day		42



Forsyth	3 HR	CNCL	NEW	RXMT	UPDT	TOTAL Tickets
2018	257	68	4968	136	2249	7678
2019	192	81	4558	187	2207	7225
+/- Var	-25.3%	19.1%	-8.3%	37.5%	-1.9%	-5.9%
				Avg Locates per Day		361



						TOTAL
Stokes	3 HR	CNCL	NEW	RXMT	UPDT	Tickets
2018	51	10	400	16	312	789
2019	14	2	321	19	121	477
+/- Var	-72.5%	-80.0%	-19.8%	18.8%	-61.2%	-39.5%
				Avg		
				Locates		
				per Day		24



Yadkin	3 HR	CNCL	NEW	RXMT	UPDT	TOTAL Tickets
2018	3	10	369	1	57	440
2019	5	6	452	11	48	522
+/- Var	66.7%	-40.0%	22.5%	1000.0% Avg Locates	-15.8%	18.6%
				per Day		26





DAVIE	830
ADVANCE	221
BERMUDA RUN	97
CALAHALN	11
COOLEEMEE	11
FARMINGTON	35
MOCKSVILLE	444




FORSYTH	7225
BELEWS CREEK	60
BETHANIA	15
CLEMMONS	549
KERNERSVILLE	1261
KING	30
LEWISVILLE	289
PFAFFTOWN	221
RURAL HALL	277
TOBACCOVILLE	64
VIENNA	19
WALKERTOWN	215
WINSTON SALEM	4197



STOKES	477
ASBURY	76
DANBURY	32
FRANCISCO	13
GERMANTON	15
KING	136
LAWSONVILLE	17
MEADOWS	14
PINNACLE	37
SANDY RIDGE	17
WALNUT COVE	91




YADKIN	522
BOONVILLE	51
CYCLE	16
EAST BEND	102
FORBUSH	24
HAMPTONVILLE	71
JONESVILLE	61
LONE HICKORY	25
YADKINVILLE	141



HEAT EXHAUSTION

OR

HEAT STROKE



- Get to a cooler, air conditioned place
- · Drink water if fully conscious
- Take a cool shower or use cold compresses

CALL 9-1-1

 Take immediate action to cool the person until help arrives

nillivaa



House Bill 872 - Law changes effective Oct. 1, 2019

Definitions

- 87-117 (1a) Board The Underground Damage Prevention Review Board
- 87-117 (18a) Parcel An extended area of land with fixed boundaries

Notification Center

- 87-120 (a) & (c) Notification Center removed from receiving, maintaining and providing general administration of reports of alleged violations.
- 87-120 (c) (9) Notification Center shall have the duties to provide information requested by the UGDPRB in consideration of reports of alleged violations.

Facility Operator

- **87-121 (a) (1)** The dimension of the pipe shall be indicated every 50 feet if the diameter or width of facility is greater than four inches.
- **87-121 (a) (1a)** The operator's identity marked in the area where the proposed excavation or demolition is to occur. At a minimum, beginning/intervals of 200 linear feet/end.



House Bill 872 - Law changes effective Oct. 1, 2019

Excavator

- 87-122 (b) (5) a. A single parcel that may exceed ¼ mile in linear length identified by a single address.
- 87-122 (b) (5) b. The lesser five adjoining parcels identified by addresses, not to exceed ¼ mile in linear length or an area not to exceed ¼ mile in linear length.
- 87-122 (c) (6) Three hour notices additional notice (allows for on-line submission)
- 87-122 (c) (10) Gas, oil, petroleum an electric transmission line has been expanded to read oil, petroleum products, or highly volatile liquid pipeline system, a gas transmission line, or an electric transmission line. No mechanized equipment within 24" of a facility unless the facility operator has consented to the use in writing and the operator's representative is on site during the use of the mechanized equipment.

Exemptions

- **87-124 (6)** An excavation or demolition performed when those responsible for routine maintenance of a right of way or any other governmental entity are performing, with labor on their permanent payroll, maintenance activities within the right-of-way.
- 87-124 (6) Drainage structures are not included in maintenance activities.
- 87-124 (6) The provisions do not apply when the excavation or demolition is performed by a contractor acting on behalf of a person or entity responsible for routine maintenance of a ROW or on behalf of any other governmental entity.



House Bill 872 - Law changes effective Oct. 1, 2019

Emergency Excavation

- 87-125 (a) Emergency excavation give notice (allows for on-line submission)
- 87-125 (c) Any person who falsely claims that an emergency exists requiring an excavation or demolition shall have violated the provisions of this Article, which shall be punishable as a Class 3 misdemeanor and may subject the violator to the imposition of penalties or other action to be taken by the Board pursuant to G.S. 87-129.

Design Notices

• 87-127 (a) (1) & (3) proposed area of excavation removed – area designated by the design notice



House Bill 872 - Law changes effective Oct. 1, 2019

Underground Damage Prevention Review Board; enforcement; civil penalties

- 87-129 (b) All reports will be submitted to the Board Notification Center removed from the process
- **87-129 (b1)** The Board shall approve training courses and the sponsors of those training courses. Any fees for training courses will be paid by the person determined to have violated this Article.
- 87-129 (e) The Board is authorized to employ contractors or other personnel as it may deem necessary to carry out the provisions of this Article.
- 87-129 (f) Board shall maintain record of reports of alleged violations for at least four years.
- 87-129 (g) On request of the Board, the Attorney General's office shall assign a legal representative to provide legal counsel.
- **87-129A** Board is authorized to impose an annual fee on operators in order to fund activities and operation of the Board in reviewing reports of alleged violations not to exceed \$200,000 annually.

UPCOMING EXENS

This Month

SLINDAY MONDAY TUESDAY WIDRESON TRUBBAN TROOK SATURDAY

5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31







3Q19


October 18, 2019
Shell Island Resort, Wrightsville Beach, NC

4Q19

January 17, 2020 Greensboro, NC

For booking info, contact
Tonya Hargraves: tonya@nc811.org

Register Now



October 2nd

CABARRUS ARENA & EVENTS CENTER, 4751 NC-49, CONCORD, NC 28025

Safe Digging Partner Event Sponsor





ncpipesplus.org/mock-line-strike.html

NC Underground Damage Prevention Review Board

Location: Raleigh, NC - TBD

October 15, 2019 - 10am to 4pm

https://www.nc811.org/report-a-violation.html



State UCC Meeting
Dominion Energy, 1801 Trinity Church Rd,
Concord, NC

Tuesday, September 10, 10:00am – 12:00pm





Every 2 months on the third Wednesday NC 811, 5009 High Point Rd, Greensboro, NC

Wednesday, August 14, 11:00am – 1:00pm





NC811 welcomes Education Liaison Parrish Reddick



Piedmont Triad Region Email: parrish@nc811.org

Cell: 336-707-4528





A PDF of this presentation is available at www.ncucc.org

Use the UCC Issues form to voice your concerns to both local and state level UCC meetings in North Carolina. Available on both the NCUCC website and the NC811 app. + DAUIE, FORGYH, STOKES, YAD KINX

UCC Sign-In Sheet Lugust 28# 2019 UCC Meetinj

Name	Email- Phone Number	
BriAN Morehouse NESII	Bmorehouse 10811.62 336-482	6850
Shayne McGlocklin BADGEL	smedocklin Chadgesine con 336 -247-983	
Ray Shappard USIC	Ronnies happande usicus com 704-534-50	
ERIC CARREAN	cric, carterplumbing egnail.com 336-	
DANTENDELLOMEZ	daniel carterphining Danil, com 336-831-53	
Con Better	William. butler @ Williams.com 336-616-7446	
Andy Atword	autwood & daviccounty N.c.gov 336-909-40	
John Foster,	John. FosTer@Duke-energy.com 386.345.	2083
Jackie Huerta.	jackie Huerta @ duke-energy com.	336-726-77
Merin Sell	Kevin, selloduke-energy.com 336-726-778	3
Parcish Rednick	Parnish@nc811.000 336-707-4528	
James Ritledgo	James LRQ CityOFWS. OR9 336-462-1721	
Tom McEwen	tommym Dcity of WS.org 336-399-36	
Zac Rogers	zuciRoges @ Summit De. Net 336	
David Randleman	David Randleman @ summitde net 336 468	-0063
		I





NW Triad UCC

Davie/Forsyth/Stokes and Yadkin County Davie County EMS-August 28, 2019

114 Dr. Slate Dr., Mocksville, NC 27028

- Brian Morehouse opened with announcing severe weather locations and emergency exits.
- Welcome and introductions
- NC811 Presentation: Brian Morehouse
- Topics of Discussion:
 - NW Triad UCC will be dividing -Forsyth/Stokes and Davie/Yadkin in 2020. Meeting location and date TBD in October 2019.
 - o Brian advised that everyone download the 811 app -very useful and helpful!
 - Important dates:
 - 9/10/2019-UCC NC State -PSNC Energy, Concord NC; 11/5/2019-UCC NC State, PNG, Wilmington, NC.
 - 10/2/2019-Mock Line Strike Event -Register now
 - New law changes (please see attached presentation) effective*10/1/2019*
 - New-Underground Damage Prevention Review Board (please see attached presentation)

Roundtable:

- Please check positive response
- Make certain that you have correct contact information in the system (phone # and email)
- o PNG-John Foster-Large projects in Forsyth County, relocation of Transmission line
- USIC-Ray Sheppard-New projects in Mocksville. USIC will have a new/longer training for new employees.
- o Make sure that ALL underground utilities locates are complete.
- o Advised that everyone communicate and email to have documentation. (paper trail)
- Davie County-Andy Atwood-Large projects in Davie and Forsyth. Andy discussed
 lightening hazards especially when boring. Advised caution and awareness during severe

weather. He also stressed the importance of staying hydrated and replenishing electrolytes.

- o Transco-Cory-discussed some issues with cable company
- o Carter Plumbing-Sewer must have tracer wire?
- o Badger-Pipeline project in Guilford
- o City of WS-James-6000 ft. of watermain in Forsyth (Stanleyville/ New Walkertown Rd)
 - Permits are sold to contractor now
- o The importance of white lining and flagging on projects was discussed.
- Next meeting date: October 23,2019
- > Adjourn